


Zelle Farms
 6804 S. York Hwy
 Clarkrange, TN 38553
 christine.nowak@hempuniverse.io
 931-863-5197

Sample: 10-19-2023-40405
 Sample Received: 10/19/2023;
 Report Created: 10/20/2023; Expires: 10/19/2024

Z - High Potency Skin Balm - A
 Topical



0.072 %
 Total THC

0.072 %
 Δ-9 THC

6.164 %
 Total Cannabinoids

1.928 %
 Total CBD

Cannabinoids

Complete

(Testing Method: HPLC, CON-P-3000)
 Date Tested: 10/19/2023

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0087	0.0131	0.015	0.154	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0087	0.0131	0.072	0.723	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0087	0.0131	ND	ND	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0087	0.0131	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0087	0.0131	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0087	0.0131	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0087	0.0131	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0087	0.0131	<LOQ	<LOQ	
9R-Hexahydrocannabinol (9R-HHC)	0.0087	0.0131	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0087	0.0131	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0087	0.0131	ND	ND	
Cannabidivarin (CBDV)	0.0087	0.0131	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0087	0.0131	ND	ND	
Cannabidiol (CBD)	0.0087	0.0131	1.928	19.279	
Cannabidiolic Acid (CBDA)	0.0087	0.0131	ND	ND	
Cannabigerol (CBG)	0.0087	0.0131	2.083	20.830	
Cannabigerolic Acid (CBGA)	0.0087	0.0131	ND	ND	
Cannabinol (CBN)	0.0087	0.0131	2.018	20.175	
Cannabinolic Acid (CBNA)	0.0087	0.0131	ND	ND	
Cannabichromene (CBC)	0.0087	0.0131	0.048	0.484	
Cannabichromenic Acid (CBCA)	0.0087	0.0131	ND	ND	
Total			6.164	61.645	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
 Total CBD Measurement of Uncertainty: ± 2.000%
 THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com